

HAAS TYRON MODELS

TYRON 1500 | TYRON 2000XL | TYRON 2500

| TECHNICAL SPECIFICATIONS | HAAS 1500 | HAAS 2000XL | HAAS 2500 |
|--|-----------------|-----------------|-----------------|
| CAPACITIES / PRODUCT | | | |
| Waste Wood | up to 25 t/h | up to 65 t/h | up to 100 t/h |
| Green Waste | up to 35 t/h | up to 60 t/h | up to 85 t/h |
| Domestic Waste | up to 38 t/h | up to 50 t/h | up to 100 t/h |
| Bulky Waste | up to 25 t/h | up to 40 t/h | up to 65 t/h |
| Industrial Waste | up to 30 t/h | up to 45 t/h | up to 85 t/h |
| THROUGHPUT CAPACITY | | | |
| Diesel | 350 HP / 257 kW | 400 HP / 294 kW | 760 HP / 566 kW |
| Electric | 2x 90kW | 2x 132kW | 2x 160kW |
| No. of Shafts | 2 Shafts | 2 Shafts | 2 Shafts |
| Shredding Chamber (width x length in mm) | 1,500 x 1,500 | 1,500 x 2,000 | 2,100 x 2,500 |
| Cutting Diameter | 700 mm | 700 mm | 900 mm |
| RPM | max. 33* | max. 41* | max. 41* |

*The revolutions per minute of the shafts can be infinitely adjusted. Both shafts are driven separately and can thus run with different speeds & directions. Due to the variety of the discs per shaft and the cutters per disc, an end product of approximately 150-500mm can be achieved.



COMPLETE INFORMATION DESTRUCTION AND RECYCLING SOLUTIONS

789/52 Moo 1, Nong-Kham Sriracha, Chonburi 20230 Thailand

www.shred-tech.asia | info@shred-tech.asia | +66 38348250

All Shred-Tech Shredders are available under US Federal Supply Contract.* All rights reserved. Shred-Tech and Shred-Tech logo are registered trademarks of Shred-Tech. Specs correct at press time, and may change without notice. 170225



HAAS
Recycling-Systems



SHRED EVERYTHING!